

DOCKET: CU-2328

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Peter Alan Smith

) Group Art Unit: 3637

SERIAL NO: 09/622,249

Examiner: Dennis Dorey

FILED: August 15, 2000

1) EXPEDITED PROCEDURE FILE
2) AMENDMENT AFTER TRIAL

TITLE: Chair Incorporating Air Cushions

Box AF
THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

AMENDED CLAIMS

1. (previously amended) A chair of a type having a seat portion and a backrest portion, the chair comprising a seat support structure, a backrest support structure, at least one air-containing cushion positioned on the seat support structure, at least one air-containing cushion secured to the backrest support structure, a layer of compressible material overlaying the cushions, and an upholstery material covering the layer of compressible material; each cushion comprising a bladder which is formed from a pliable, gas impermeable material and each bladder being charged with an amount of air prior to use such that the amount of air is at the surrounding atmospheric pressure and displaces no more than 60% of a maximum contained volume of the bladder whereby the air may freely be displaced only within the bladder in use, and wherein each bladder is adapted to underlie entirely that respective part of a user adjacent to the seat and backrest when occupying the chair, as a consequence of which shaping may be imparted to the cushion to complement the shape of the user.
2. (previously amended) The chair as claimed in claim 1 wherein each bladder is charged with air prior to use such that the amount of air displaces no more than 10% of the maximum contained volume of the bladder.
3. (previously amended) The chair as claimed in claim 1 wherein each bladder is charged with air prior to use such that the amount of air displaces between 15% and 30% of the maximum contained volume of the bladder.

4. (previously amended) The chair as claimed in claim 1 wherein respective ones of the bladders are charged with air prior to use to different levels falling within the range 15% to 60% of the maximum contained volume of the respective bladders.
5. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein each bladder is provided with a valve through which air is admitted to the bladder prior to use.
6. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein each bladder has a front wall, a back wall and peripheral side walls whereby the bladder would assume a generally oblong shape if it were charged with air in an amount equal to the maximum contained volume of the bladder.
7. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the compressible material that overlays the cushions comprises an expanded foam plastics material sheet.
8. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein two of the air-containing cushions are secured to the backrest support structure, one above the other.
9. (original) The chair as claimed in claim 8 wherein an upper one of the backrest support structure cushions overlaps the lower one of the backrest support cushions, and wherein the lower one of the backrest support cushions overlaps the cushion that is positioned on the seat support structure.
10. (previously amended) The chair as claimed in claim 9 wherein the upper one of the backrest support cushions extends over and around an upper edge of the backrest portion of the chair.
11. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein an underlay which is formed from an expanded foam sheet material is located below the air-containing cushions.
12. (original) The chair as claimed in claim 11 wherein the underlay is formed from a material that has a higher density than that of the compressible material that overlays the cushions.
13. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the upholstery material is composed of a semi-permeable or vapour-permeable plastics sheet material.

14. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the backrest support structure is pivotably mounted with respect to the seat support structure.

15. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the seat support structure is mounted to a support base which is carried by wheels.

16. (original) The chair as claimed in claim 15 wherein the seat support structure is pivotably mounted with respect to the support base.

17. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein a leg support portion is pivotably mounted with respect to the seat portion and wherein an air-containing cushion is mounted to the leg support portion and is overlayed by both the compressible material and the upholstery material.

18. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the seat support structure and the backrest support structure are formed as metal frames and wherein the metal frames carry reinforced plastics sheet material which support, either directly or indirectly, the air-containing cushions.

19. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the cushions are removably secured to the seat and backrest support structures by way of self-securing fastening materials.

20. (previously amended) The chair as claimed in any one of claims 1 to 4 wherein the upholstery material is secured in place by the use of self-securing fastening materials.

21. (previously cancelled)

22. (new) A chair of a type having a seat portion and a backrest portion, the chair comprising a seat support structure, a backrest support structure, at least one air-containing cushion positioned on the seat support structure, at least one air-containing cushion secured to the backrest support structure, a layer of compressible material overlaying the cushions, and an upholstery material covering the layer of compressible material; each cushion comprising a bladder which is formed from a pliable, gas impermeable material and each bladder being charged with an amount of air prior to use such that the amount of air is at the surrounding atmospheric pressure and displaces no more than 60% of a maximum contained volume of the bladder whereby the air may freely be displaced only within the bladder in use, wherein the seat support structure and the backrest support structure are formed as

fi
cont
ES
cont

frames and wherein the cushions are suspended either directly or indirectly from the frames and wherein each bladder is adapted to underlie entirely that respective part of a user adjacent to the seat and backrest when occupying the chair, as a consequence of which shaping may be imparted to the cushion to complement the shape of the user.

23. (new) The chair as claimed in claim 22, wherein the frames carry a sheet material which supports, either directly or indirectly, the air-containing cushions.

24. (new) The chair as claimed in claim 22, wherein the frames are metal.

25. (new) The chair as claimed in claim 23, wherein the sheet material is a reinforced plastics sheet material.